



Bellbird

BIRDING, WILDLIFE & PHOTOGRAPHY TOURS

Bellbird Tours Pty Ltd
PO Box 2008
BERRI SA 5343
AUSTRALIA
Ph. 1800-BIRDING
Ph. +61409 763172
www.bellbirdtours.com
birds@bellbirdtours.com
ABN 40 159 352 002

Brazil: Jaguars & Birds – Pantanal, Amazonia & Atlantic Forests

birding & wildlife tour August 2023

tour report



Brazil is the second most endemic-rich country in the world, with the rainforests of the Amazon holding a significant number of such specialities. The tour visited parts of the southern Amazon rainforest, the huge Pantanal wetlands, but also spent time in the vastly different dry Cerrado, to finish in the cool, moist Atlantic Forests. From watching birds at the feeders in the gardens of our comfortable lodges, to taking boat rides on rivers and swamps, and birding on foot in the mountains and lowlands, this tour enabled us to see a superb range of endemics as well as many other Neotropical species. We saw some of the most highly-sought-after birds and mammals on the planet including the endangered Hyacinth Macaw, the largest parrot on Earth, not to be outdone by the world's largest raptor: Harpy Eagle, on a nest; the near-extinct Cone-billed Tanager; toucans, parrots, and raptors; flocks of tanagers and hummingbirds and much, much more. Mammals seen include Giant River Otter, Greater Anteater and the rare Jaguar. Expert guiding by Raphael Santos and smooth logistics ensured a very successful tour.

Daily account

Main tour (Pantanal & southern Amazon area, 15-27/8/23, 13 days)

15/8/23 We all took a 7am flight from Sao Paulo to Cuiaba, then drove from Cuiaba (10am) to Aymara lodge (13:00) - various stops along the way including a pond on the side of the road and the Transpantaneira entrance sign / gate. Lunch at the lodge, check-in and rest. In the afternoon we birded the various trails through the dry forest near the Aymara lodge. Dinner, then a night drive in an open-top 4WD along the entrance road of Aymara lodge. Species count for the day: 85. Highlights: Greater Rhea, Jabiru, Hyacinth Macaw, Glittering-throated Emerald.

16/8/23 Birding the trails in the dry woodlands near the lodge on foot, then breakfast, then birding Aymara lodge entrance road from the van and on foot. Later that morning we drove the short distance from Aymara lodge to Pousada Alegre, birding along the way. Lunch was in a busy, cramped lunchroom at the Pousada, then check-in and rest. Later that afternoon we birded on foot the lodge grounds and along the entrance road, and the swamp out the back with a boardwalk. While on the boardwalk we saw a fiery comet in broad daylight. Watched a nice sunset from the boardwalk. After dinner we took a night drive in an open-top 4WD along the 7 km entrance track of Pousada Alegre. Species count for the day: 97. Highlights: Roseate Spoonbill, Snail Kite, Great Rufous Woodcreeper, Subtropical Doradito.

17/8/23 Early breakfast at Pousada Alegre and then we sat & watched the amazing bird spectacle at the feeder behind the lodge. This was followed by a walk around the grounds / bush / narrow trails in dry woodland. We packed up and left after lunch to the Hotel (Lodge) Mato Grosso on the Pixaim river, birding along the way. After arriving here we watched the feeder for a bit, then walk around a small lake surrounded by scrubby vegetation and a bit further out, dry savannah woodland with pink-flowering Piuva trees and an amazing sunset. Species count for the day: 90. Highlights: Grey-cowled Woodrail, Ferruginous Pygmy Owl, Toco Toucan, White Woodpecker.

18/8/23 Early morning boat ride on Pixaim river, then breakfast at the lodge, followed by birding on foot on a narrow trail through forest on edge of the river Pixaim. Lunch at the lodge, then checked out and spent from 13:00-17:30 driving/birding the Transpantaneira from to Porto Jofre (80 km), at the northern end of the road, making various stops along the way. Check in at the Hotel Pantanal Norte and the best buffer dinner yet. Species count for the day: 110. Highlights: Sungrebe, Agami Heron, Rufous-tailed Jacamar, Helmeted Manakin.

19/8/23 Boat ride from Porto Jofre in search of Jaguars (success: 4 seen!) - all morning, around the area where 3 rivers meet. Back to the lodge for lunch & rest, then back in the boat for another boat ride (partway through the boat's battery had died & a new one was swiftly brought out) - all afternoon, again around the area where 3 rivers meet, returning in the dark. Species count for the day: 60. Highlights: Jaguar, Pantanal Cayman, Rufescent Tiger-heron, Red-billed Scythebill.

20/8/23 At first light a quick visit to the swamp behind the lodge. Then birding from the van, listing some interesting birds along the 130 km drive from Porto Jorge to Piupal lodge, including a visit to the feeder at Rio Claro lodge. Upon arrival at the lodge, check-in, lunch and rest. Later in the afternoon we jumped in an open-top 4WD and drove around the extensive property of the Piupal lodge: short-grass plains with scattered pink- and yellow-flowering trees, tall dense grasslands, dry deciduous forest with dense undergrowth of spiky palms, extensive swamps. The drive ended in the dark with owling. Species count for the day: 29. Highlights: Nacunda Nighthawk, Red-legged Seriema, Pale-crested Woodpecker, Black-banded Owl.

21/8/23 Morning birding the extensive property of the Piupal lodge including looking for Anteaters. Then we packed up and drove to Cuiaba for lunch in a Churrascaria (bbq restaurant) near the airport, and continued driving to PN Chapada dos Guimarães NP. Went straight to the Véu da Noiva Falls (lookout) and birded from the lookout watching the valley below with the cliff walls & waterfall, the trail to here from the NP buildings, and the car park at the NP entrance nearby. Checked into the Valle dos Ventos lodge. Species count for the day: 35. Highlights: Greater Anteater, Peach-fronted Parakeet, Red-and-Green Macaw, Bat Falcon, Black-bellied Antwren.

22/8/23 Birded a site just outside Chapada dos Guimarães NP from 6 till 11am, first dry low scrubby vegetation on sandy soil, then along a dirt road through a patch of rainforest leading down to a stream. Back to the lodge for lunch, siesta and a quick dip in the pool, then we went to another lookout (with rubbish...) on an escarpment overlooking the NP in the valley below. Dry scrubby vegetation here. Then to a rainforest patch with a narrow dirt road leading through it with tucked away houses / B&Bs. Species count for the day: 63. Highlights: Burrowing Owl, Blue-crowned Trogan, Collared Crescentchest, Fork-tailed Woodnymph.

23/8/23 Early (just before sunrise) start at an area of dry savannah scrub near Chapada dos Guimarães NP where we picked up some more local specialties. Then back to the patch of rainforest with tucked away holiday houses. Back to the lodge for a late brekky followed by departure at 9:30am for the long drive to Sinop. We drove 500 km from 9:30 to 19:30 to get to Sinop. Road was horrendous with 1000's of trucks and a 1-hr wait at roadworks. Upon arrival in Sinop, quick dinner, and off to bed at the Ibis Hotel. Species count for the day: 36. Highlights: Planalto Hermit, Chestnut-eared Aracari, White-eyed Parakeet, Burnished-buff Tanager.

24/8/23 5:30am departure, drove in 2 vehicles with landowner to rainforest patch among maize (stubble) fields. Once inside, you wouldn't know about the surroundings. There was a Harpy Eagle nest here with an almost fully grown chick on it. We stood/sat here for ~4 hrs observing it. After lunch in a buffet restaurant in Sinop the afternoon was spent driving to Jardim da Amazônia where we arrived in time for a late dinner. Species count for the day: 18. Highlights: Harpy Eagle, Collared Forest Falcon, Yellow Armadillo.

25/8/23 All morning walk (almost 6 km) through remnant rainforest property of Jardim da Amazônia. The lodge guide led us onto a wrong track late morning so it was a long and hot walk back. Lots of birds though. After lunch at the lodge, siesta and a quick dip in the natural pool, we set off on an afternoon boat ride (15km) up the Rio Claro through large area of remnant rainforest, main target Umbrellabird, then birded our way back to the lodge arriving at dark for a scrumptious buffet dinner by a Brazilian MasterChef contestant. Species count for the day: 63. Highlights: Red-stained Woodpecker, Gould's Toucanet, Amazonian Umbrellabird, Snow-capped Manakin.

26/8/23 Morning boat ride - about 6km up the Rio Claro then off to the left into a narrow creek that opened up into an oxbow lake/swamp. Birded from the boat in the swamp (almost extinct Cone-billed Tanager main target here), then back to the river and moored somewhere for a short walk in the dense rainforest with morning tea in a shelter and this was a very bird-rich area. After lunch at the lodge and a rest we set off on foot to bird some of the tracks on Jardim da Amazônia property, through forest, along fishponds, and to a small lake where we had champagne, then followed by owling in the dark on the way back. Species count for the day: 89. Highlights: Black-throated Mango, Cryptic Forest Falcon, Screaming Piha, Black-throated Antbird, Cone-billed Tanager.

27/8/23 Birding the lodge grounds (gardens, ponds & nearby), the entrance (dirt) road, and the lake outside the forest. Then drive from Jardim da Amazônia lodge to Cuiaba, about 200km. No stops other

than for raptors seen flying from the bus, and for Brazil nuts. 2pm flight to Sao Paulo, arriving 3 hrs later, then transfer to Panamby Hotel. Species count for the day: 32. Highlights: White-tailed Hawk, Blue-and-Yellow Macaw, Blue-headed Parrot, Blue-grey Tanager. Main tour ended here.

Extension (SE Brazil, 28-31/8/23, 3 days):

28/8/23 A 3-hr drive from Sao Paulo to Itatiaia town, once arrived there we birded a swamp on the edge of town by walking slowly along the edge of the road. Then a quick coffee in a bakery and we drove into Itatiaia NP (hills/mountains covered with Atlantic Rainforest) – it had rained yesterday, and the dirt road was muddy and slippery. The driveway up to the hotel was very steep and windy but fortunately paved. Arriving here late AM we birded the Hotel do Ypê lodge grounds (located inside Itatiaia NP) - mainly standing by the feeders watching the coming & going of many birds, also the gardens. Lunch, short break then off to a nearby abandoned hotel that's becoming overgrown with jungle, where we birded the Trilha (trail) dos Três Picos. Went some way up the jungle trail & back. Finished in the dark with owling. Species count for the day: 73. Highlights: Brazilian Ruby, Swallow-tailed Hummingbird, Tawny-browed Owl, Green-headed Tanager.

29/8/23 Early morning a few minutes birding in the garden outside our hut and by the feeders; breakfast then drove back to Itatiaia town and took a different road up into the NP to access the higher elevation habitats. Drove up poor road into NP through cool rainforest making many birding stops, and as we got higher, some bog/grassland surrounded with Araucaria pine trees. It was cloudy, foggy at times, and a bit of drizzle early on. Picnic lunch. Got to almost 2400m before returning and birding our way back down the hill. On the way back to the hotel we birded the road from Itatiaia town to Hotel do Ypê, few stops along the way, including at the Mirante do Último Adeus (lookout). Species count for the day: 60. Highlights: Itatiaia Spinetail, Rufous-capped Antshrike, Black-and-Gold Cotinga, Blue-naped Chlorophonia.


30/8/23 Early morning about 1/2hr birding in the garden outside our hut and by the feeders; breakfast then birding the Trilha (trail) dos Três Picos again. Went a bit further up this jungle trail & back to Hotel do Ypê to pack up and depart for the drive to Ubatuba. Lunch in a modern highway-side buffet restaurant. Upon arrival in Ubatuba went straight to Angelim ranch & rainforest - wandered around here slowly birding the main path and nearby small tracks. Just after sunset visited a local Atlantic beach, then checked into Ubatuba Palace Hotel. Species count for the day: 73. Highlights: Saw-billed Hermit, Frilled Coquette, Blond-crested Woodpecker, Blue-winged Parrotlet.

31/8/23 Morning visit to Angelim rainforest & ranch again, where we wandered around the cocoa plantation, ranch & adjacent rainforest edges & stream. Then drove half an hour to Folha Seco ranch ("Jonas' house" - hummingbird garden) in a beautiful, secluded forest location where we spent a pleasant 2 hrs at the hummingbird garden full of feeders with hummingbirds and tanagers. A great finale to the trip! Then a 3-hr drive from here to Sao Paulo airport (quick buffet lunch at the halfway point) - a forest-clad mountainous road at first, then a highway through agricultural lands. Drop off & goodbye at 3pm. Species count for the day: 35. Highlights: Violet-capped Woodnymph, White-chinned Sapphire, Mantled Hawk, Brazilian Tanager.

Species count main tour: 350


Species count extension: 173

Total species count: 473





main tour
15-27/8/2023



List of bird species seen (main tour, 15-27/8/23, 13 days):

- 1 - Greater Rhea (*Rhea americana*)
- 2 - Undulated Tinamou (*Crypturellus undulatus*)
- 3 - Small-billed Tinamou (*Crypturellus parvirostris*)
- 4 - Southern Screamer (*Chauna torquata*)
- 5 - Black-bellied Whistling Duck (*Dendrocygna autumnalis*)
- 6 - Muscovy Duck (*Cairina moschata*)
- 7 - Brazilian Teal (*Amazonetta brasiliensis*)
- 8 - Chaco Chachalaca (*Ortalis canicollis*)
- 9 - Rusty-margined Guan (*Penelope superciliaris*)
- 10 - Chestnut-bellied Guan (*Penelope ochrogaster*)
- 11 - Blue-throated Piping Guan (*Pipile cumanensis*)
- 12 - Red-throated Piping Guan (*Pipile cujubi*)
- 13 - Bare-faced Curassow (*Crax fasciolata*)
- 14 - Nacunda Nighthawk (*Chordeiles nacunda*)
- 15 - Band-tailed Nighthawk (*Nyctiprogne leucopyga*)
- 16 - Blackish Nightjar (*Nyctipolus nigrescens*)
- 17 - Pauraque (*Nyctidromus albicollis*)
- 18 - Little Nightjar (*Setopagis parvula*)
- 19 - Spot-tailed Nightjar (*Hydropsalis maculicaudus*)
- 20 - Great Potoo (*Nyctibius grandis*)
- 21 - White-collared Swift (*Streptoprocne zonaris*)
- 22 - Grey-rumped Swift (*Chaetura cinereiventris*)
- 23 - Pale-rumped Swift (*Chaetura egregia*)
- 24 - Short-tailed Swift (*Chaetura brachyura*)
- 25 - Fork-tailed Palm Swift (*Tachornis squamata*)
- 26 - Cinnamon-throated Hermit (*Phaethornis nattereri*)
- 27 - Reddish Hermit (*Phaethornis ruber*)
- 28 - Planalto Hermit (*Phaethornis pretrei*)
- 29 - Black-throated Mango (*Anthracothorax nigricollis*)
- 30 - Long-billed Starthroat (*Heliomaster longirostris*)
- 31 - Blue-tufted Starthroat (*Heliomaster furcifer*)
- 32 - Grey-breasted Sabrewing (*Campylopterus largipennis*)
- 33 - Fork-tailed Woodnymph (*Thalurania furcata*)
- 34 - Swallow-tailed Hummingbird (*Eupetomena macroura*)
- 35 - Glittering-throated Emerald (*Chionomesa fimbriata*)
- 36 - Guira Cuckoo (*Guira guira*)
- 37 - Greater Ani (*Crotophaga major*)
- 38 - Smooth-billed Ani (*Crotophaga ani*)
- 39 - Striped Cuckoo (*Tapera naevia*)
- 40 - Squirrel Cuckoo (*Piaya cayana*)
- 41 - Rock Dove (*Columba livia*)
- 42 - Scaled Pigeon (*Patagioenas speciosa*)
- 43 - Picazuro Pigeon (*Patagioenas picazuro*)
- 44 - Pale-vented Pigeon (*Patagioenas cayennensis*)
- 45 - Ruddy Pigeon (*Patagioenas subvinacea*)
- 46 - Scaled Dove (*Columbina squammata*)
- 47 - Ruddy Ground Dove (*Columbina talpacoti*)
- 48 - Picui Ground Dove (*Columbina picui*)
- 49 - Blue Ground Dove (*Claravis pretiosa*)
- 50 - Long-tailed Ground Dove (*Uropelia campestris*)
- 51 - Violaceous Quail-Dove (*Geotrygon violacea*)
- 52 - White-tipped Dove (*Leptotila verreauxi*)
- 53 - Grey-fronted Dove (*Leptotila rufaxilla*)
- 54 - Eared Dove (*Zenaida auriculata*)
- 55 - Sungrebe (*Heliornis fulica*)
- 56 - Grey-cowled Wood Rail (*Aramides cajaneus*)
- 57 - Purple Gallinule (*Porphyrio martinica*)
- 58 - Limpkin (*Aramus guarauna*)

- 59 - White-backed Stilt (*Himantopus melanurus*)
- 60 - Southern Lapwing (*Vanellus chilensis*)
- 61 - Pied Plover (*Hoploxypterus cayanus*)
- 62 - Wattled Jacana (*Jacana jacana*)
- 63 - Spotted Sandpiper (*Actitis macularius*)
- 64 - Black Skimmer (*Rynchops niger*)
- 65 - Yellow-billed Tern (*Sternula superciliaris*)
- 66 - Large-billed Tern (*Phaetusa simplex*)
- 67 - Sunbittern (*Eurypyga helias*)
- 68 - Wood Stork (*Mycteria americana*)
- 69 - Jabiru (*Jabiru mycteria*)
- 70 - Maguari Stork (*Ciconia maguari*)
- 71 - Anhinga (*Anhinga anhinga*)
- 72 - Neotropic Cormorant (*Nannopterum brasilianum*)
- 73 - Plumbeous Ibis (*Theristicus caerulescens*)
- 74 - Buff-necked Ibis (*Theristicus caudatus*)
- 75 - Green Ibis (*Mesembrinibis cayennensis*)
- 76 - Bare-faced Ibis (*Phimosus infuscatus*)
- 77 - Roseate Spoonbill (*Platalea ajaja*)
- 78 - Rufescent Tiger Heron (*Tigrisoma lineatum*)
- 79 - Agami Heron (*Agamia agami*)
- 80 - Boat-billed Heron (*Cochlearius cochlearius*)
- 81 - Black-crowned Night Heron (*Nycticorax nycticorax*)
- 82 - Striated Heron (*Butorides striata*)
- 83 - Western Cattle Egret (*Bubulcus ibis*)
- 84 - Cocoi Heron (*Ardea cocoi*)
- 85 - Great Egret (*Ardea alba*)
- 86 - Capped Heron (*Pilherodius pileatus*)
- 87 - Whistling Heron (*Syrigma sibilatrix*)
- 88 - Little Blue Heron (*Egretta caerulea*)
- 89 - Snowy Egret (*Egretta thula*)
- 90 - Black Vulture (*Coragyps atratus*)
- 91 - Turkey Vulture (*Cathartes aura*)
- 92 - Lesser Yellow-headed Vulture
- 93 - Greater Yellow-headed Vulture (*Cathartes melambrotus*)
- 94 - Swallow-tailed Kite (*Elanoides forficatus*)
- 95 - Harpy Eagle (*Harpia harpyja*)
- 96 - Bicolored Hawk (*Accipiter bicolor*)
- 97 - Long-winged Harrier (*Circus buffoni*)
- 98 - Plumbeous Kite (*Ictinia plumbea*)
- 99 - Black-collared Hawk (*Busarellus nigricollis*)
- 100 - Snail Kite (*Rostrhamus sociabilis*)
- 101 - Crane Hawk (*Geranospiza caerulescens*)
- 102 - Savanna Hawk (*Buteogallus meridionalis*)
- 103 - Great Black Hawk (*Buteogallus urubitinga*)
- 104 - Roadside Hawk (*Rupornis magnirostris*)
- 105 - White-tailed Hawk (*Geranoaetus albicaudatus*)
- 106 - Short-tailed Hawk (*Buteo brachyurus*)
- 107 - Burrowing Owl (*Athene cunicularia*)
- 108 - Ferruginous Pygmy Owl (*Glaucidium brasiliandum*)
- 109 - Great Horned Owl (*Bubo virginianus*)
- 110 - Tropical Screech Owl (*Megascops choliba*)
- 111 - Tawny-bellied Screech Owl (*Megascops watsonii*)
- 112 - Spectacled Owl (*Pulsatrix perspicillata*)
- 113 - Black-banded Owl (*Strix huhula*)
- 114 - Blue-crowned Tropicbird (*Trogon curucui*)
- 115 - Collared Tropicbird (*Trogon collaris*)
- 116 - Amazon Kingfisher (*Chloroceryle amazona*)
- 117 - American Pygmy Kingfisher (*Chloroceryle aenea*)
- 118 - Green Kingfisher (*Chloroceryle americana*)

- 119 - Green-and-rufous Kingfisher (*Chloroceryle inda*)
120 - Ringed Kingfisher (*Megaceryle torquata*)
121 - Amazonian Motmot (*Momotus momota*)
122 - Brown Jacamar (*Brachygalba lugubris*)
123 - Blue-necked Jacamar (*Galbulula cyanicollis*)
124 - Rufous-tailed Jacamar (*Galbulula ruficauda*)
125 - Bronzy Jacamar (*Galbulula leucogastra*)
126 - Pied Puffbird (*Notharchus tectus*)
127 - Spotted Puffbird (*Bucco tamatia*)
128 - White-eared Puffbird (*Nystalus chacuru*)
129 - Black-fronted Nunbird (*Monasa nigrifrons*)
130 - Swallow-winged Puffbird (*Chelidoptera tenebrosa*)
131 - Lettered Aracari (*Pteroglossus inscriptus*)
132 - Red-necked Aracari (*Pteroglossus bitorquatus*)
133 - Black-necked Aracari (*Pteroglossus aracari*)
134 - Chestnut-eared Aracari (*Pteroglossus castanotis*)
135 - Gould's Toucanet (*Selenidera gouldii*)
136 - Channel-billed Toucan (*Ramphastos vitellinus*)
137 - Toco Toucan (*Ramphastos toco*)
138 - White-throated Toucan (*Ramphastos tucanus*)
139 - Bar-breasted Piculet (*Picumnus aurifrons*)
140 - White-wedged Piculet (*Picumnus albosquamatus*)
141 - White Woodpecker (*Melanerpes candidus*)
142 - Yellow-tufted Woodpecker (*Melanerpes cruentatus*)
143 - White-fronted Woodpecker (*Melanerpes cactorum*)
144 - Little Woodpecker (*Veniliornis passerinus*)
145 - Red-stained Woodpecker (*Veniliornis affinis*)
146 - Campo Flicker (*Colaptes campestris*)
147 - Chestnut Woodpecker (*Celeus elegans*)
148 - Pale-crested Woodpecker (*Celeus lugubris*)
149 - Cream-colored Woodpecker (*Celeus flavus*)
150 - Ringed Woodpecker (*Celeus torquatus*)
151 - Lineated Woodpecker (*Dryocopus lineatus*)
152 - Crimson-crested Woodpecker (*Campephilus melanoleucos*)
153 - Red-legged Seriema (*Cariama cristata*)
154 - Crested Caracara (*Caracara plancus*)
155 - Cryptic Forest Falcon (*Micrastur mintoni*)
156 - Collared Forest Falcon (*Micrastur semitorquatus*)
157 - American Kestrel (*Falco sparverius*)
158 - Aplomado Falcon (*Falco femoralis*)
159 - Bat Falcon (*Falco rufigularis*)
160 - Monk Parakeet (*Myiopsitta monachus*)
161 - Cliff Parakeet (*Myiopsitta luchsi*)
162 - Yellow-chevroned Parakeet (*Brotogeris chiriri*)
163 - Golden-winged Parakeet (*Brotogeris chrysoptera*)
164 - Orange-cheeked Parrot (*Pyrilia barrabandi*)
165 - Scaly-headed Parrot (*Pionus maximiliani*)
166 - Blue-headed Parrot (*Pionus menstruus*)
167 - Yellow-faced Parrot (*Alipiopsitta xanthops*)
168 - Yellow-crowned Amazon (*Amazona ochrocephala*)
169 - Turquoise-fronted Amazon (*Amazona aestiva*)
170 - Orange-winged Amazon (*Amazona amazonica*)
171 - Santarem Parakeet (*Pyrrhura amazonum*)
172 - Hyacinth Macaw (*Anodorhynchus hyacinthinus*)
173 - Peach-fronted Parakeet (*Eupsittula aurea*)
174 - Nanday Parakeet (*Aratinga nenday*)
175 - Red-bellied Macaw (*Orthopsittaca manilatus*)
176 - Golden-collared Macaw (*Primolius auricollis*)
177 - Blue-winged Macaw (*Primolius maracana*)
178 - Blue-and-yellow Macaw (*Ara ararauna*)

- 179 - Scarlet Macaw (*Ara macao*)
180 - Red-and-green Macaw (*Ara chloropterus*)
181 - Red-shouldered Macaw (*Diopsittaca nobilis*)
182 - Blue-crowned Parakeet (*Thectocercus acuticaudatus*)
183 - White-eyed Parakeet (*Psittacara leucophthalmus*)
184 - Olivaceous Woodcreeper (*Sittasomus griseicapillus*)
185 - White-chinned Woodcreeper (*Dendrocincla merula*)
186 - Great Rufous Woodcreeper (*Xiphocolaptes major*)
187 - Elegant Woodcreeper (*Xiphorhynchus elegans*)
188 - Buff-throated Woodcreeper (*Xiphorhynchus guttatus*)
189 - Straight-billed Woodcreeper (*Dendroplex picus*)
190 - Red-billed Scythebill (*Campylorhamphus trochilirostris*)
191 - Narrow-billed Woodcreeper (*Lepidocolaptes angustirostris*)
192 - Plain Xenops (*Xenops genibarbis*)
193 - Point-tailed Palmcreeper (*Berlepschia rikeri*)
194 - Pale-legged Hornero (*Furnarius leucopus*)
195 - Rufous Hornero (*Furnarius rufus*)
196 - Rufous-fronted Thornbird (*Phacellodomus rufifrons*)
197 - Greater Thornbird (*Phacellodomus ruber*)
198 - Rusty-backed Spinetail (*Cranioleuca vulpina*)
199 - Grey-crested Cacholote (*Pseudoseisura unirufa*)
200 - Yellow-chinned Spinetail (*Certhiaxis cinnamomeus*)
201 - Chotoy Spinetail (*Schoeniophylax phryganophilus*)
202 - Araguaia Spinetail (*Synallaxis simoni*)
203 - Cinereous-breasted Spinetail (*Synallaxis hypospodia*)
204 - Chestnut-throated Spinetail (*Synallaxis cherriei*)
205 - Dot-winged Antwren (*Microrhopias quixensis*)
206 - Black-throated Antbird (*Myrmophylax atrothorax*)
207 - Amazonian Streaked Antwren (*Myrmotherula multostriata*)
208 - White-flanked Antwren (*Myrmotherula axillaris*)
209 - Black-bellied Antwren (*Formicivora melanogaster*)
210 - Rusty-backed Antwren (*Formicivora rufa*)
211 - Large-billed Antwren (*Herpsilochmus longirostris*)
212 - Plain Antvireo (*Dysithamnus mentalis*) PAL
213 - Barred Antshrike (*Thamnophilus doliatus*)
214 - Planalto Slaty Antshrike (*Thamnophilus pelzelni*)
215 - Rufous-winged Antshrike (*Thamnophilus torquatus*)
216 - Great Antshrike (*Taraba major*)
217 - Rondonia Warbling Antbird (*Hypocnemis ochrogyna*)
218 - Southern Chestnut-tailed Antbird (*Sciaphylax hemimelaena*)
219 - Blackish Antbird (*Cercomacroides nigrescens*)
220 - Mato Grosso Antbird (*Cercomacra melanaria*)
221 - Band-tailed Antbird (*Hypocnemoides maculicauda*)
222 - Silvered Antbird (*Sclateria naevia*)
223 - Collared Crescentchest (*Melanopareia torquata*)
224 - Wing-barred Piprites (*Piprites chloris*)
225 - Planalto Tyrannulet (*Phyllomyias fasciatus*)
226 - Forest Elaenia (*Myiopagis gaimardii*)
227 - Yellow-bellied Elaenia (*Elaenia flavogaster*)
228 - Plain-crested Elaenia (*Elaenia cristata*)
229 - Lesser Elaenia (*Elaenia chiriquensis*)
230 - Southern Beardless Tyrannulet (*Campstostoma obsoletum*)
231 - Subtropical Doradito (*Pseudocolopteryx acutipennis*)
232 - Southern Antpipit (*Corythopis delalandi*)
233 - Sepia-capped Flycatcher (*Leptopogon amaurocephalus*)
234 - Chapada Flycatcher (*Guyramemua affine*)
235 - Plain Inezia (*Inezia inornata*)
236 - Flammulated Bamboo Tyrant (*Hemitriccus flammulatus*)
237 - Pearly-vented Tody-Tyrant (*Hemitriccus margaritaceiventer*)
238 - Rusty-fronted Tody-Flycatcher (*Poecilotriccus latirostris*)

- 239 - Common Tody-Flycatcher (*Todirostrum cinereum*)
240 - Yellow-olive Flatbill (*Tolmomyias sulphurescens*)
241 - Cliff Flycatcher (*Hirundinea ferruginea*)
242 - Fuscous Flycatcher (*Cnemotriccus fuscatus*)
243 - Vermilion Flycatcher (*Pyrocephalus obscurus*)
244 - Yellow-browed Tyrant (*Satrapa icterophrys*)
245 - Crested Black Tyrant (*Knipolegus lophotes*)
246 - White-rumped Monjita (*Xolmis velatus*)
247 - Black-backed Water Tyrant (*Fluvicola albiventer*)
248 - Masked Water Tyrant (*Fluvicola nengeta*)
249 - White-headed Marsh Tyrant (*Arundinicola leucocephala*)
250 - Cattle Tyrant (*Machetornis rixosa*)
251 - Piratic Flycatcher (*Legatus leucophaius*)
252 - Rusty-margined Flycatcher (*Myiozetetes cayanensis*)
253 - Great Kiskadee (*Pitangus sulphuratus*)
254 - Lesser Kiskadee (*Philohydor lictor*)
255 - Boat-billed Flycatcher (*Megarynchus pitangua*)
256 - Sulphury Flycatcher (*Tyrannopsis sulphurea*)
257 - Tropical Kingbird (*Tyrannus melancholicus*)
258 - Fork-tailed Flycatcher (*Tyrannus savana*)
259 - Greyish Mourner (*Rhytipterna simplex*)
260 - Rufous Casiornis (*Casiornis rufus*)
261 - Short-crested Flycatcher (*Myiarchus ferox*)
262 - White-eyed Attila (Foliage-gleaner) (*Attila bolivianus*)
263 - Amazonian Umbrellabird (*Cephalopterus ornatus*)
264 - Screaming Piha (*Lipaagus vociferans*)
265 - Spangled Cotinga (*Cotinga cayana*)
266 - Bare-necked Fruitcrow (*Gymnoderus foetidus*)
267 - Helmeted Manakin (*Antilophia galeata*)
268 - Snow-capped Manakin (*Lepidothrix nattereri*)
269 - Flame-crested Manakin (*Heterocercus linteatus*)
270 - Band-tailed Manakin (*Pipra fasciicauda*)
271 - Fiery-capped Manakin (*Machaeropterus pyrocephalus*)
272 - Black-tailed Tityra (*Tityra cayana*)
273 - Masked Tityra (*Tityra semifasciata*)
274 - Cinereous Mourner (*Laniocera hypopyrra*)
275 - White-winged Becard (*Pachyramphus polychoterus*)
276 - Rufous-browed Peppershrike (*Cyclarhis gujanensis*)
277 - Ashy-headed Greenlet (*Hylophilus pectoralis*)
278 - Grey-chested Greenlet (*Hylophilus semicinereus*)
279 - Purplish Jay (*Cyanocorax cyanomelas*)
280 - Curl-crested Jay (*Cyanocorax cristatellus*)
281 - White-winged Swallow (*Tachycineta albiventer*)
282 - White-banded Swallow (*Atticora fasciata*)
283 - Blue-and-white Swallow (*Pygochelidon cyanoleuca*)
284 - Southern Rough-winged Swallow (*Stelgidopteryx ruficollis*)
285 - Brown-chested Martin (*Progne tapera*)
286 - Grey-breasted Martin (*Progne chalybea*)
287 - Black-capped Donacobius (*Donacobius atricapilla*)
288 - Thrush-like Wren (*Campylorhynchus turdinus*)
289 - Moustached Wren (*Pheugopedius genibarbis*)
290 - Buff-breasted Wren (*Cantorchilus leucotis*)
291 - Fawn-breasted Wren (*Cantorchilus guarayanus*)
292 - Trilling Gnatwren (*Ramphocaenus melanurus*)
293 - Masked Gnatcatcher (*Polioptila dumicola*)
294 - Chalk-browed Mockingbird (*Mimus saturninus*)
295 - Creamy-bellied Thrush (*Turdus amaurochalinus*)
296 - Pale-breasted Thrush (*Turdus leucomelas*)
297 - Rufous-bellied Thrush (*Turdus rufiventris*)
298 - House Sparrow (*Passer domesticus*)

- 299 - Yellowish Pipit (*Anthus chii*)
 300 - Purple-throated Euphonia (*Euphonia chlorotica*)
 301 - Rufous-bellied Euphonia (*Euphonia rufiventris*)
 302 - Saffron-billed Sparrow (*Arremon flavirostris*)
 303 - Crested Oropendola (*Psarocolius decumanus*)
 304 - Solitary Cacique (*Cacicus solitarius*)
 305 - Yellow-rumped Cacique (*Cacicus cela*)
 306 - Orange-backed Troupial (*Icterus croconotus*)
 307 - Variable Oriole (*Icterus pyrrhogaster*)
 308 - Giant Cowbird (*Molothrus oryzivorus*)
 309 - Shiny Cowbird (*Molothrus bonariensis*)
 310 - Scarlet-headed Blackbird (*Amblyramphus holosericeus*)
 311 - Chopi Blackbird (*Gnorimopsar chopi*)
 312 - Greyish Baywing (*Agelaioides badius*)
 313 - Unicolored Blackbird (*Agelaius cyanopus*)
 314 - Masked Yellowthroat (*Geothlypis aequinoctialis*)
 315 - Southern Yellowthroat (*Geothlypis velata*)
 316 - Tropical Parula (*Setophaga petiayumi*)
 317 - Flavescent Warbler (*Myiothlypis flaveola*)
 318 - Golden-crowned Warbler (*Basileuterus culicivorus*)
 319 - Blue Finch (*Rhopospina caerulescens*)
 320 - Swallow Tanager (*Tersina viridis*)
 321 - Purple Honeycreeper (*Cyanerpes caeruleus*)
 322 - Short-billed Honeycreeper (*Cyanerpes nitidus*)
 323 - Blue Dacnis (*Dacnis cayana*)
 324 - Black-faced Dacnis (*Dacnis lineata*)
 325 - Black-throated Saltator (*Saltatricula atricollis*)
 326 - Bluish-grey Saltator (*Saltator coerulescens*)
 327 - Buff-throated Saltator (*Saltator maximus*)
 328 - Bananaquit (*Coereba flaveola*)
 329 - Blue-black Grassquit (*Volatinia jacarina*)
 330 - Cone-billed Tanager (*Conothraupis mesoleuca*)
 331 - Grey-headed Tanager (*Eucometis penicillata*)
 332 - Red Pileated Finch (*Coryphospingus cucullatus*)
 333 - White-lined Tanager (*Tachyphonus rufus*)
 334 - Silver-beaked Tanager (*Ramphocelus carbo*)
 335 - Plumbeous Seedeater (*Sporophila plumbea*)
 336 - Rusty-collared Seedeater (*Sporophila collaris*)
 337 - White-rumped Tanager (*Cypsnagra hirundinacea*)
 338 - Chestnut-vented Conebill (*Conirostrum speciosum*)
 339 - Saffron Finch (*Sicalis flaveola*)
 340 - Grassland Yellow Finch (*Sicalis luteola*)
 341 - Shrike-like Tanager (*Neothraupis fasciata*)
 342 - Black-faced Tanager (*Schistochlamys melanopis*)
 343 - Red-crested Cardinal (*Paroaria coronata*)
 344 - Yellow-billed Cardinal (*Paroaria capitata*)
 345 - Blue-grey Tanager (*Thraupis episcopus*)
 346 - Sayaca Tanager (*Thraupis sayaca*)
 347 - Palm Tanager (*Thraupis palmarum*)
 348 - Blue-necked Tanager (*Stilpnia cyanicollis*)
 349 - Burnished-buff Tanager (*Stilpnia cayana*)
 350 - Turquoise Tanager (*Tangara mexicana*)

List of mammal species seen (main tour, 15-27/8/23, 13 days):

- 1 - Yellow Armadillo (*Euphractus sexcinctus*)
- 2 - Giant Anteater (*Myrmecophaga tridactyla*)
- 3 - Tapeti (*Sylvilagus brasiliensis*)
- 4 - Capybara (*Hydrochoerus hydrochaeris*)

- 5 - Azara's Agouti (*Dasyprocta azarae*)
- 6 - Black-tailed Marmoset (*Mico melanurus*)
- 7 - Guianan Brown Capuchin (*Sapajus apella*)
- 8 - Black-and-gold Howler Monkey (*Alouatta caraya*)
- 9 - Black-faced Black Spider Monkey (*Ateles chamek*)
- 10 - Jaguar (*Panthera onca*)
- 11 - Crab-eating Fox (*Cerdocyon thous*)
- 12 - South American Coati (*Nasua nasua*)
- 13 - Giant Otter (*Pteronura brasiliensis*)
- 14 - Collared Peccary (*Dicotyles tajacu*)
- 15 - Marsh Deer (*Blastocerus dichotomus*)
- 16 - Amazonian Brown Brocket (*Mazama nemorivaga*)

List of bird species seen (extension, 28-31/8/23, 3 days):

- 1 - Dusky-legged Guan (*Penelope obscura*)
- 2 - Saw-billed Hermit (*Ramphodon naevius*)
- 3 - Reddish Hermit (*Phaethornis ruber*)
- 4 - Scale-throated Hermit (*Phaethornis eurynome*)
- 5 - Black-eared Fairy (*Heliothryx auritus*)
- 6 - Black-throated Mango (*Anthracothorax nigricollis*)
- 7 - Frilled Coquette (*Lophornis magnificus*)
- 8 - Festive Coquette (*Lophornis chalybeus*)
- 9 - Brazilian Ruby (*Heliodoxa rubricauda*)
- 10 - Green-crowned Plovercrest (*Stephanoxis lalandi*)
- 11 - Violet-capped Woodnymph (*Thalurania glaucopis*)
- 12 - Swallow-tailed Hummingbird (*Eupetomena macroura*)
- 13 - Sombre Hummingbird (*Eupetomena cirrochloris*)
- 14 - Versicolored Emerald (*Chrysuronia versicolor*)
- 15 - White-throated Hummingbird (*Leucochloris albicollis*)
- 16 - Glittering-throated Emerald (*Chionomesa fimbriata*)
- 17 - Sapphire-spangled Emerald (*Chionomesa lactea*)
- 18 - White-chinned Sapphire (*Chlorestes cyanus*)
- 19 - Squirrel Cuckoo (*Piaya cayana*)
- 20 - Rock Dove (*Columba livia*)
- 21 - Picazuro Pigeon (*Patagioenas picazuro*)
- 22 - Plumbeous Pigeon (*Patagioenas plumbea*)
- 23 - Ruddy Ground Dove (*Columbina talpacoti*)
- 24 - Ruddy Quail-Dove (*Geotrygon montana*)
- 25 - Slaty-breasted Wood Rail (*Aramides saracura*)
- 26 - Southern Lapwing (*Vanellus chilensis*)
- 27 - Kelp Gull (*Larus dominicanus*)
- 28 - Magnificent Frigatebird (*Fregata magnificens*)
- 29 - Black Vulture (*Coragyps atratus*)
- 30 - Turkey Vulture (*Cathartes aura*)
- 31 - Lesser Yellow-headed Vulture (*Cathartes burrovianus*)
- 32 - Roadside Hawk (*Rupornis magnirostris*)
- 33 - Mantled Hawk (*Pseudastur polionotus*)
- 34 - Tawny-browed Owl (*Pulsatrix koeniswaldiana*)
- 35 - Surucua Tropicbird (*Tropicagelauda surucura*)
- 36 - Rufous-capped Motmot (*Baryphthengus ruficapillus*)
- 37 - Red-breasted Toucan (*Ramphastos dicolorus*)
- 38 - Toco Toucan (*Ramphastos toco*)
- 39 - White-barred Piculet (*Picumnus cirratus*)
- 40 - White-spotted Woodpecker (*Veniliornis spilogaster*)
- 41 - Yellow-browed Woodpecker (*Piculus aurulentus*)
- 42 - Campo Flicker (*Colaptes campestris*)
- 43 - Blond-crested Woodpecker (*Celeus flavescens*)

- 44 - Robust Woodpecker (*Campephilus robustus*)
45 - Crested Caracara (*Caracara plancus*)
46 - Yellow-headed Caracara (*Milvago chimachima*)
47 - Plain Parakeet (*Brotogeris tirica*)
48 - Scaly-headed Parrot (*Pionus maximiliani*)
49 - Turquoise-fronted Amazon (*Amazona aestiva*)
50 - Cobalt-rumped Parrotlet (*Forpus xanthopterygius*)
51 - Maroon-bellied Parakeet (*Pyrrhura frontalis*)
52 - Blue-winged Macaw (*Primolius maracana*)
53 - White-eyed Parakeet (*Psittacara leucophthalmus*)
54 - Olivaceous Woodcreeper (*Sittasomus griseicapillus*)
55 - White-throated Woodcreeper (*Xiphocolaptes albicollis*)
56 - Lesser Woodcreeper (*Xiphorhynchus fuscus*)
57 - Scaled Woodcreeper (*Lepidocolaptes squamatus*)
58 - White-throated Xenops (*Xenops minutus*)
59 - White-collared Foliage-gleaner (*Anabazenops fuscus*)
60 - Sharp-billed Treehunter (*Heliobletus contaminatus*)
61 - Buff-browed Foliage-gleaner (*Syndactyla rufosuperciliata*)
62 - Rufous-fronted Thornbird (*Phacellodomus rufifrons*)
63 - Orange-eyed Thornbird (*Phacellodomus erythrophthalmus*)
64 - Itatiaia Spinetail (*Asthenes moreirae*)
65 - Pallid Spinetail (*Cranioleuca pallida*)
66 - Yellow-chinned Spinetail (*Certhiaxis cinnamomeus*)
67 - Rufous-capped Spinetail (*Synallaxis ruficapilla*)
68 - Spix's Spinetail (*Synallaxis spixii*)
69 - Streak-capped Antwren (*Terenura maculata*)
70 - Star-throated Antwren (*Rhopias gularis*)
71 - Spot-breasted Antvireo (*Dysithamnus stictothorax*)
72 - Plain Antvireo (*Dysithamnus mentalis*)
73 - Rufous-backed Antvireo (*Dysithamnus xanthopterus*)
74 - Rufous-capped Antshrike (*Thamnophilus ruficapillus*)
75 - Ferruginous Antbird (*Drymophila ferruginea*)
76 - Rufous-tailed Antbird (*Drymophila genei*)
77 - Ochre-rumped Antbird (*Drymophila ochropyga*)
78 - Scaled Antbird (*Drymophila squamata*)
79 - Squamate Antbird (*Myrmotherus squamosus*)
80 - Cryptic Antthrush (*Chamaeza meruloides*)
81 - Rufous Gnat-eater (*Conopophaga lineata*)
82 - Slaty Bristlefront (*Merulaxis ater*)
83 - Mouse-colored Tapaculo (*Scytalopus speluncae*)
84 - Planalto Tyrannulet (*Phyllomyias fasciatus*)
85 - Grey-capped Tyrannulet (*Phyllomyias griseocapilla*)
86 - Southern Beardless Tyrannulet (*Campstostoma obsoletum*)
87 - White-crested Tyrannulet (*Serpophaga subcristata*)
88 - Mottle-cheeked Tyrannulet (*Phylloscartes ventralis*)
89 - Grey-hooded Flycatcher (*Mionectes rufiventris*)
90 - Sepia-capped Flycatcher (*Leptopogon amaurocephalus*)
91 - Ochre-faced Tody-Flycatcher (*Poecilotriccus plumbeiceps*)
92 - Yellow-lored Tody-Flycatcher (*Todirostrum poliocephalum*)
93 - Common Tody-Flycatcher (*Todirostrum cinereum*)
94 - Yellow-olive Flatbill (*Tolmomyias sulphurescens*)
95 - Cliff Flycatcher (*Hirundinea ferruginea*)
96 - Euler's Flycatcher (*Lathrotriccus euleri*)
97 - Southern Tropical Pewee (*Contopus cinereus*)
98 - Blue-billed Black Tyrant (*Knipolegus cyanirostris*)
99 - Velvety Black Tyrant (*Knipolegus nigerrimus*)
100 - Masked Water Tyrant (*Fluvicola nengeta*)
101 - Social Flycatcher (*Myiozetetes similis*)
102 - Great Kiskadee (*Pitangus sulphuratus*)
103 - Lesser Kiskadee (*Philohydor lictor*)

- 104 - Brown-crested Flycatcher (*Myiarchus tyrannulus*)
105 - Large-headed Flatbill (*Ramphotrigon megacephalum*)
106 - Grey-hooded Attila (*Attila rufus*)
107 - Black-and-gold Cotinga (*Lipaugus ater*)
108 - Serra do Mar Tyrant-Manakin (*Neopelma chrysolophum*)
109 - Blue Manakin (*Chiroxiphia caudata*)
110 - Pin-tailed Manakin (*Ilicura militaris*)
111 - White-bearded Manakin (*Manacus manacus*)
112 - Whiskered Myiobius (*Myiobius barbatus*)
113 - Chestnut-crowned Becard (*Pachyramphus castaneus*)
114 - Curl-crested Jay (*Cyanocorax cristatellus*)
115 - Rufous-crowned Greenlet (*Corthylio calendula*)
116 - House Wren (*Troglodytes aedon*)
117 - Chalk-browed Mockingbird (*Mimus saturninus*)
118 - Creamy-bellied Thrush (*Turdus amaurochalinus*)
119 - Yellow-legged Thrush (*Turdus flavipes*)
120 - White-necked Thrush (*Turdus albicollis*)
121 - Pale-breasted Thrush (*Turdus leucomelas*)
122 - Rufous-bellied Thrush (*Turdus rufiventris*)
123 - Brown-chested Jungle Flycatcher (*Cyornis brunneatus*)
124 - House Sparrow (*Passer domesticus*)
125 - Common Waxbill (*Estrilda astrild*)
126 - Blue-naped Chlorophonia (*Chlorophonia cyanea*)
127 - Purple-throated Euphonia (*Euphonia chlorotica*)
128 - Violaceous Euphonia (*Euphonia violacea*)
129 - Chestnut-bellied Euphonia (*Euphonia pectoralis*)
130 - Half-collared Sparrow (*Arremon semitorquatus*)
131 - Rufous-collared Sparrow (*Zonotrichia capensis*)
132 - Golden-winged Cacique (*Cacicus chrysopterus*)
133 - Red-rumped Cacique (*Cacicus haemorrhouss*)
134 - Variable Oriole (*Icterus pyrrhopterus*)
135 - Shiny Cowbird (*Molothrus bonariensis*)
136 - Chestnut-capped Blackbird (*Chrysomus ruficapillus*)
137 - White-rimmed Warbler (*Myiothlypis leucoblephara*)
138 - Riverbank Warbler (*Myiothlypis rivularis*)
139 - Golden-crowned Warbler (*Basileuterus culicivorus*)
140 - Olive-green Tanager (*Orthogonyx chloricterus*)
141 - Brown Tanager (*Orchesticus abeillei*)
142 - Hooded Tanager (*Nemosia pileata*)
143 - Green Honeycreeper (*Chlorophanes spiza*)
144 - Blue Dacnis (*Dacnis cayana*)
145 - Green-winged Saltator (*Saltator similis*)
146 - Black-throated Grosbeak (*Saltator fuliginosus*)
147 - Thick-billed Saltator (*Saltator maxillosus*)
148 - Bananaquit (*Coereba flaveola*)
149 - Blue-black Grassquit (*Volatinia jacarina*)
150 - Grey-headed Tanager (*Eucometis penicillata*)
151 - Black-goggled Tanager (*Trichothraupis melanops*)
152 - Flame-crested Tanager (*Loriotus cristatus*)
153 - Ruby-crowned Tanager (*Tachyphonus coronatus*)
154 - Brazilian Tanager (*Ramphocelus bresilia*)
155 - Double-collared Seedeater (*Sporophila caerulescens*)
156 - Temminck's Seedeater (*Sporophila falcirostris*)
157 - Buffy-fronted Seedeater (*Sporophila frontalis*)
158 - White-bellied Seedeater (*Sporophila leucoptera*)
159 - Orange-headed Tanager (*Thlypopsis sordida*)
160 - Bay-chested Warbling Finch (*Castanozoster thoracicus*)
161 - Buff-throated Warbling Finch (*Microspingus lateralis*)
162 - Saffron Finch (*Sicalis flaveola*)
163 - Uniform Finch (*Haplospiza unicolor*)

- 164 - Fawn-breasted Tanager (*Pipraeidea melanonota*)
- 165 - Diademed Tanager (*Stephanophorus diadematus*)
- 166 - Magpie Tanager (*Cissopis leverianus*)
- 167 - Sayaca Tanager (*Thraupis sayaca*)
- 168 - Azure-shouldered Tanager (*Thraupis cyanoptera*)
- 169 - Golden-chevroned Tanager (*Thraupis ornata*)
- 170 - Palm Tanager (*Thraupis palmarum*)
- 171 - Green-headed Tanager (*Tangara seledon*)
- 172 - Red-necked Tanager (*Tangara cyanocephala*)
- 173 - Brassy-breasted Tanager (*Tangara desmaresti*)

List of mammal species seen (extension, 28-31/8/23, 3 days):

- 1 - Capybara (*Hydrochoerus hydrochaeris*)
- 2 - Brazilian Squirrel (*Guerlinguetus ingrami*)
- 3 - Guianan Brown Capuchin (*Sapajus apella*)
- 4 - Tayra (*Eira barbara*)